



GRABO 

FITNESS ESSENTIALS

STEP INTO A NEW ERA
OF FLOORING
WHERE **VERSATILITY**,
FITNESS AND
INNOVATION MEET






FITNESS ESSENTIALS

With almost 120 years of history, our company has been specializing in the production of sports flooring for over 40 years, and we sell our high-quality European sports floorings in over 80 countries worldwide. Thanks to our dedicated R&D team we continuously improve our products which ensures that our sports flooring is both sustainable and at the forefront of competition. Based on our extensive experience, we offer a product range that provides flooring solutions tailored to the specific requirements of fitness activities and diverse user needs. Ready to elevate your fitness space? Let's design it together!





MOD-FLEX ACTIVE

The revolutionary gym rubber tile that's set to redefine your fitness experience. Designed to cater to the ever-evolving needs of modern fitness enthusiasts, Mod-Flex Active is the perfect fusion of durability, comfort, and style. Whether you're a seasoned athlete, a weekend warrior, or just starting your fitness journey, Mod-Flex is engineered to withstand the toughest workouts while offering a supportive and cushioned surface that minimizes the risk of injury.

RECOMMENDED USAGE



CARDIO



LOW IMPACT



CASUAL USE



CONSTRUCTION

1 UV STABLE RUBBER GRANULATES

Total thickness

15

mm

Dimensions

1x1


m

Weight

14.9

kg/m²


COLORS AVAILABLE




Blue



Black



Yellow



CARDIO MACHINES & CROSS FIT



Sound insulation



Easy installation
no adhesives
required



Anti-slip
surface



Simple
maintenance
Scuff resistance



Shock absorption
resist impact



MOD-FLEX HEAVY

With a contemporary design that seamlessly integrates into any fitness space, Mod-Flex not only elevates your performance but also enhances the aesthetics of your gym. Say goodbye to the limitations of traditional flooring and step into a new era of fitness with Mod-Flex – where flexibility, fitness, and innovation converge.

RECOMMENDED USAGE



HEAVY
WEIGHTS



HIGH IMPACT
EXERCISES



POWER LIFTING & HEAVY WEIGHTS

CONSTRUCTION

1 UV STABLE RUBBER
GRANULATES

Total thickness

30

mm

Dimensions

1×1


m

Weight

29

kg/m²


COLORS AVAILABLE



Blue



Black



Yellow



Sound
insulation



Easy installation
no adhesives
required



Anti-slip
surface



Simple
maintenance
Scuff resistance



Shock absorption
resist impact



VARIUSE 8.3

The versatile flooring not intended only for sports Two in one: it is a sports and commercial flooring with a full value, which combines the benefits of two product types, and therefore it can be used for sports and non-sports activities without any problem. It is durable and safe, protects the skeletal system of the user, it is wear-resistant and easy to clean.

IT COMBINES THE ADVANTAGES OF SPORTS FLOORS AND COMMERCIAL FLOORS:

Combined foam back - real joint protection during sports (P1) • Optimum grip and slip surface • Abrasion-resistant, durable and easy to clean surface • Low residual indentation • No need for protective cover for non-sporting events • Cost-saving solution

RECOMMENDED USAGE



GYMNASTIC



AEROBIC



CARDIO
TRAINING



YOGA



DANCE



FUNCTIONAL
TRAINING

CONSTRUCTION

1

X-PUR
TOP LAYER

2

GLASS FIBER
REINFORCEMENT

3

COMBINED FOAM
BACKING

Top layer

2.2
mm

Total thickness


8.3
mm

Width of roll

2
m

Length of roll

15
m



LIGHT WEIGHTS & FUNCTIONAL TRAINING





EXTREME

It is a safe competitive sports flooring, which more intensively protects the skeleton systems of sportsmen, while it offers a stable base for maximum sports performances. It is the only one in its category which meets the shock absorption requirement ($\geq 35\%$) of category P2 of the sports standard as a 8 mm thick product. In addition to the efficient joint protection, it is characterised by optimal adhesion and excellent ball bounce back. It is an excellent covering for competitive sports, which is supported by its aesthetic dull shine and simple use. A multi-sport flooring particularly recommended for sports, fitness. The thinnest vinyl sports floor that meets the requirements of the P2 category.

RECOMMENDED USAGE



GYMNASTIC



AEROBIC



YOGA



FUNCTIONAL TRAINING

CONSTRUCTION

- 1 X-PUR WEAR LAYER
- 2 GLASS FIBER REINFORCEMENT
- 3 COMBINED FOAM BACKING

Wear layer thickness

2.0
mm

Total thickness



8.0
mm

Width of roll

2
m

Length of roll

15
m



AEROBICS & REHABILITATION




VARIUSE | EXTREME



1171-371-275




2000-378-275



2209-371-275




2519-371-275



386-868-275



1596-00-275



6170-00-275




1360-00-275



6115-00-275



7539-00-275



2089-00-275



1483-00-275

3338-00-275



6470-00-275




7143-00-275



3096-00-275



5016-00-275



PLANKIT

SILVER KNIGHT

The unique self-disinfecting PlankIT Silver Knight dry-back LVT offers maximum hygiene and 100% water resistance, is an ideal solution for common areas such as reception, corridors or changing rooms. It has an extremely realistic appearance that allows you to create a modern atmosphere. Thanks to the product's environmentally-friendly manufacturing technology, its usage results in safe indoor air quality.

RECOMMENDED USAGE



RECEPTION



BAR



SHOP



CHANGING ROOM

CONSTRUCTION

- 1 SILVER KNIGHT iGUARD PUR WEAR LAYER
- 2 DESIGN
- 3 MIDDLE LAYER
- 4 GLASS FIBRE REINFORCEMENT
- 5 BACK LAYER



- Wear layer thickness

0.55
mm

- Total thickness


2.5
mm

- Plank size

185 x 1220
mm

- Tile size

305 x 610
mm




RECEPTION, SHOP, COMMON AREAS



PLANKIT



Walder



Eleria




Selma




Bronn




Iris



Sansa



Tully



Doreah




Elin



Bolton



Freja



Lannister




Oberyn



Reed




Luwin



Royce




Hedda



Myrcella



Leia



ECOSAFE

The high durability of the Ecosafe flooring can help you choose the right product when you're looking for non-slip solutions. This product is specially design for wet areas and meets both the R10 and the +36 Pendulum anti-slip requirements, a property that is remained for many years thanks to the hard particles embedded in the surface. Its EasyCare surface protects the flooring against stains and makes maintenance easier.

RECOMMENDED USAGE



WET AREAS



CHANGING ROOM

CONSTRUCTION

- 1 EASY CARE WEAR LAYER
- 2 GLASS FIBER REINFORCEMENT
- 3 PVC BACKING

Wear layer thickness

0.7
mm

Total thickness


2.0
mm

Width of roll

2
m

Length of roll



20
m



CHANGING ROOMS, WET AREAS



ECOSAFE





MURAVYL

Our wall covering Muravyl offers an aesthetic and lasting protection for the walls with a total thickness of 1.5 mm. Its flexibility and low specific mass allows it to be applied on both vertical and horizontal surfaces while its smooth top surface makes it easy to be washed and cleaned. Thanks to the good dimensional stability and antibacterial properties, Muravyl is the perfect choice for all common areas.

RECOMMENDED USAGE



ENTRANCE



OFFICE



CHANGING ROOM



SHOP



BAR



GROUP EXERCISE

CONSTRUCTION

1

WEAR LAYER

2

GLASS FIBER REINFORCEMENT

3

BACK LAYER

Wear layer thickness

0.65

mm

Total thickness

1.5

mm

Width of roll


2

m

Length of roll

25

m





WALL COVERINGS FOR RECEPTION & CHANGE ROOMS

SOLVENT
FREE

NOI
WAX

grabo
SAN
minimize
the growth of
microorganisms

MURAVYL





WELINA

SOLID | SLIM

Our new creative innovation- the Welina modular aluminum entrance matting system offers unlimited freedom for architects and designers to plan impressive, inviting entrances that have never been seen before. In the modules, a wide range of textile inserts can be integrated which generate an endless number of variations.

RECOMMENDED USAGE



INDOOR / OUTDOOR
ENTRANCE FOR GYMS

AVAILABLE SIZES

- 1 Solid
- 240 × 240 mm**
 - 240 × 480 mm**
 - 240 × 720 mm**

Overall height
17-19 mm


- 2 Slim
- 252 × 252 mm**
 - 252 × 504 mm**
 - 252 × 756 mm**

Overall height
10-11 mm


COLORS AVAILABLE




Beige




Black



Blue



Red



ENTRANCES & EXITS



Easy installation
no adhesives
required



Indoor / outdoor
application




Modular designed
tiles unlimited
variations



F25 aluminium
alloy

RECOMMENDATION



	MOD-FLEX ACTIVE	MOD-FLEX HEAVY	VARIUSE 8.3	EXTREME
CARDIO TRAINING	***		*	
CROSS FIT	***	**		
COMMON AREAS				
FREE WEIGHT	***	*		
FUNCTIONAL TRAINING			**	*
AEROBICS, REHABILITATION			*	**
POWER LIFTING		**		
WET AREAS				
CHANGING ROOMS				
ENTRANCES & EXITS				

PLANKIT SILVER KNIGHT	ECOSAFE	MURAVYL	WELINA
**		**	
		*	
	**	*	
**	*	**	
*		**	**



Keep in touch.

2024|01



GRABOPLAST

Floor Covering Manufacturers Ltd.

H-9023 Győr, Fehérvári út. 16/b. Telefon: (+36) 96 506-100

www.graboplast.com • info@graboplast.com



www.facebook.com/graboplast